



CITY HYDRANT # _____

Public or Private Hydrant: _____

ISSUING UTILITY:

GLENMORE-ELLISON IMPROVEMENT DISTRICT(GEID)
FIRE DEPARTMENT HYDRANT USE PERMIT

NAME OF HYDRANT USER: _____ PHONE# _____

NAME OF WATER UTILITY: **GLENMORE-ELLISON IMPROVEMENT DISTRICT**

LOCATION OF HYDRANT: _____

REASON FOR USE: _____

NAME OF CONTACT PERSON: _____ PHONE# _____

ADDRESS: _____

*Hydrant permits are required for public and private hydrants however
there is no fee for use of private hydrants.*

OFFICE USE ONLY

AUTHORIZED DATES OF PERMITTED USE: _____

AUTHORIZED BY: _____

FEE DEPOSITED: _____ # of Days x \$25/day = _____

DATE SERVICED CHECKED BY GEID: _____ TECHNICIAN: _____

Copy: **Fax to Fire Department immediately!**

Fire Department Faxed 250-862-3371 Date: _____ Time: _____

SPECIAL NOTES: RESALE AS POTABLE WATER IS PROHIBITED

The valve shall be removed by the end of each workday, except by special permission. The applicant acknowledges that any damage to the hydrant or watermain as a result of hydrant use will be repaired at the applicant's expense. Water is not to be exported for use outside of GEID Boundaries. The applicant also accepts liability for all damages and occurrences related to their use of the hydrant identified herein.

Current approved backflow assembly test certificate must be on file.
Certificate # _____

I HAVE READ AND UNDERSTAND THE ABOVE REGULATIONS & INDEMNITY CLAUSE

APPLICANTS SIGNATURE

DATE

c.c. Hydrant File (Original)
KFD

***SEE SPECIAL NOTES ATTACHED**



SPECIAL NOTES:

RESALE AS POTABLE WATER IS PROHIBITED

- A \$25.00 non-refundable fee is required for each day of use of a public hydrant.
- This permit is valid for the dates identified.
- The permit must be in the possession of the user when operating the hydrant.
- A 2 ½"port only shall be used.
- A 2"gate valve shall be installed on the hydrant. The operating wheel shall be removed when leaving the hydrant unattended.
- Ball valves are prohibited from use while operating a hydrant and **BALL VALVE HANDLES MUST BE REMOVED**
- The Hydrant User shall be liable for all loss, costs, damages, and expenses whatsoever incurred or suffered by the GEID and/or the City, their elected officials, officers, employees and agents (the Indemnities) including but not limited to damage to or loss of property and loss of use thereof, and injury to or death of a person or persons resulting from or in connection with the performance, purported performance, or non-performance of this Permit, excepting only where such loss, costs, damages and expenses are as a result of the sole negligence of the Indemnities.
- The Hydrant User shall defend, indemnify and hold harmless the Indemnities from all against all claims, demands, actions, proceedings, and liabilities whatsoever and all costs and expenses incurred in connection therewith and resulting from the performance, purported performance, or non-performance of this Permit, excepting only where such claim, demand, action, proceeding or liability is based on the sole negligence of the Indemnities.